







## FireSmart™ Begins at Home GUIDE





FireSmart, Intelli-feu and other associated Marks are trademarks of the Canadian Interagency Forest Fire Centre (CIFFC).



FireSmartAlberta.ca


To order the FireSmart Begins at Home Guide, please contact: firesmart@gov.ab.ca

The FireSmart Begins at Home Guide is created by the Canadian Interagency Forest Fire Centre.



Canadian Interagency Forest Fire Centre Inc. assumes no responsibility or liability and expressly disclaims responsibility or liability for any loss or damage that any person may sustain as a result of the information in, or anything done or omitted in reliance on this pamphlet; and any personal injury or bodily injury, including death, and any loss or damage caused by a wildfire to insured or uninsured structures and/or property where FireSmart principles have been applied.











# UNDERSTANDING FIRE BEHAVIOUR

### FIRE + FUEL = WHY HOMES BURN





Fuels include trees, woodpiles, structures, fences, plants, etc.



### **How Wildfires Spread**

### **Embers & Sparks**

Embers and sparks can blow up to two kilometres ahead of a wildfire. They can ignite materials on or near your home causing severe damage.



### **Extreme Heat**

Radiant heat from a wildfire can melt vinyl siding, ignite your home, and even break windows. Extreme heat can come from flames within 30 metres of your home.



### **Direct Flame**

As wildfires spread toward homes, they ignite other flammable objects in their path. To stop wildfire from directly affecting your home, create breaks in this path, especially close to your home.



# Factors Influencing the Spread of Wildfire

### **Dense Continuous Forests**

Wildfires can spread quickly in forests where trees are near each other. Fire spreads directly from tree to tree, and can produce sparks and embers that may travel distances of two kilometres. These embers may land on trees or homes well ahead of the fire and create multiple fire situations. It is important to be aware of the dangers of sparks and embers when creating a FireSmart property.





# Coniferous (evergreen) trees are highly flammable.





# Deciduous (leafy) trees are less flammable.



### **Slope**

Fire moves fastest uphill. The steeper the slope, the faster a wildfire will spread. Homes on hills, or at the top of hills, face the greatest risk from wildfire. If your home is located on a hill, consider taking extra measures, like removing trees adjacent to the slope and planting fire-resistant plants. If you are planning to build a new home, consider having it set back at least 10 metres from the crest of any hill or slope, as well as the landscaping around it. Maintain a 1.5 metre non-combustible surface in the Immediate Zone, including any attachments, such as decks.






### **Yard Spacing**

Changes within 10 metres of your home will have the biggest impact.




### **Tree Spacing**


Spacing trees at least 3 metres apart will help reduce the intensity of a wildfire.



### **Prune Trees**

Prune all tree branches within 2 metres from the ground.





The Home Ignition Zone (HIZ) is the area within 30 metres of your home and structures. It is made up of three priority areas: The Immediate Zone, Intermediate Zone, and Extended Zone.



# BEGIN YOUR FIRESMART JOURNEY

Each section of this guide will help you to focus on the changes that protect your home from wildfire. Start from your home and work your way outward. Changes made to the area closest to your home, and your home itself, have the greatest impact in reducing your risk of wildfire damage.



# IMMEDIATE ZONE 0 m to 1.5 m

A minimum 1.5 metre noncombustible surface should extend around the entire home and any attachments, such as decks.

# INTERMEDIATE ZONE 1.5 m to 10 m

This should be a fire-resistant area, free of all materials that could easily ignite from a wildfire

### **Making the Most of Your Time**

Home renovations and upgrades can be costly and time-consuming. FireSmart principles focus on what is realistic for you to achieve to limit the risk of wildfire to your home. Integrate FireSmart into your long-term renovation plans and incorporate regular yard cleanup to reduce your risk of damage from wildfire.



### **EXTENDED ZONE**

10 m to 30 m

Thin and prune evergreen trees to reduce hazards in this zone. Regularly remove accumulations of fallen branches, and dry grass/needles to eliminate potential surface fuels.

Look for opportunities to create a break in the fuel by creating space between trees and vegetation. Thinning and pruning is effective here as well. These actions will help reduce the intensity of a wildfire.

### **IMMEDIATE ZONE**

### 0 m to 1.5 m

The Immediate Zone is a non-combustible area that starts at the house and extends to a 1.5 metre perimeter around the home and attached structures, including decks. Reduce the chance of wind-blown embers igniting your home by starting with proactive measures outlined in this guide.

### **DOORS**

All doors into your home should be fire-rated and have a good seal. This is true for your garage doors, as well as entry doors.

### **WINDOWS**

Tempered or thermal (multi-paned) windows are recommended. Single-pane windows provide little resistance to heat from an advancing wildfire.

### **ROOF**

### Material

A Class-A fire-rated roof assembly offers the best protection. Metal, asphalt, clay, and composite rubber tiles are all options. Untreated wood shakes create a dangerous combination of combustible material and crevices for embers or sparks to enter. Refer to manufacturers' guidelines to maintain the fire resistance of your roof.

### Maintenance

Every inside-corner of your roof is a place where debris and embers can collect. Regularly clean your roof of combustible materials.



### **SIDING**

Stucco, metal, brick, concrete, and fibre cement siding offer superior fire resistance. Logs and heavy timbers are also reasonably effective. Untreated wood and vinyl siding offer very little protection against wildfire.

### **GUTTERS**

Regularly remove debris from your gutters, as sparks and embers can easily ignite these dry materials. Consider screening your gutters with metal mesh to reduce debris that can accumulate.

### **DECKS**

It is important to sheathe-in the base of decks, balconies, and houses, as embers and sparks can collect under these spaces. Use fire-resistant material to reduce the risk of sparks and embers from igniting your home.

### **CHIMNEY**

A spark arrestor on your chimney will reduce the chance of sparks and embers from escaping and starting fires.

# GROUND-TO-SIDING CLEARANCE

Siding is vulnerable when it ignites and when flames or embers get into the cavity behind it. With inadequate ground-to-siding clearance, accumulated embers can ignite combustible siding directly. 15 centimetres of ground-to-siding non-combustible clearance is recommended.

### **EAVES AND VENTS**

While vents play an important role in removing moisture from attics, they create an opening for sparks and embers. Install vents made of non-combustible material with 3 millimetre screening, or ASTM fire-rated vents. Open eaves also create a surface for embers and direct heat. Properly fitted soffits and fascia help to reduce the risk of embers and heat from reaching the wooden rafters of your home.

### **OTHER**

### **Attachments to Your Home**

Wooden fences or boardwalks create a direct path from the fire to your home. Separating your house from a wooden fence with a minimum 1.5 metre metal gate can slow the advance of fire. Remember to cut the grass along your fence line, as long, dry grass easily ignites.


### **Sheds and Outbuildings**

Give sheds and outbuildings the same FireSmart considerations as you do for your home.

### INTERMEDIATE ZONE

1.5 m to 10 m

Elements in the Intermediate Zone are managed so they don't transmit fire to your home. There are many actions you can take to reduce your home's vulnerability in the Intermediate Zone.



### **LANDSCAPING WITHIN 10 METRES**

A FireSmart yard includes making smart choices for your plants, shrubs, grass, and mulch. Selecting fire-resistant plants and materials can increase the likelihood of your home surviving a wildfire.

Plant low-density, fire-resistant plants and shrubs. Avoid having any woody debris, including mulch, as it provides potential places for fires to start. Make sure that you maintain a 1.5 metre non-combustible surface around your entire home and any attachments

### **CHARACTERISTICS** OF FIRE-RESISTANT PLANTS

- Moist, supple leaves
- Accumulates minimal dead vegetation
- Water-like sap with little odour Contains resin or oils
- Low amount of sap or resin material

### CHARACTERISTICS OF HIGHLY FLAMMABLE **PLANTS**

- Leaves or needles are aromatic
- · Accumulates fine, dry, dead material
- Loose, papery, or flaky bark

### **PLANTS TO AVOID**

- Cedar
- Juniper
- Pine
- Tall grass
- Spruce

### **GRASS**

A mowed lawn is a fire-resistant lawn Grasses shorter than 10 centimetres in height are less likely to burn intensely.



Bark mulches are highly flammable.



Firewood piles should be stored at least 10 metres from your home.

## BARK MULCH & PINE NEEDLES

Do not use bark or pine needle mulches within 10 metres of your home, as they are highly combustible. Gravel mulch and decorative crushed rock mulch significantly reduce the risk of wildfire.

### **FIREWOOD PILES**

Wood piled against a house is a major fire hazard. Moving your firewood pile may be the factor that allows your home to survive a wildfire. Move firewood piles to the Extended Zone (10–30 metres from your home), or into a FireSmart-mitigated building.

### **POWER LINES**

Power lines should be clear of branches and other vegetation. Contact your local utility company to discuss removing any branches or vegetation around overhead electrical installations.

### ON-SITE FIRE TOOLS


Every home should have readily accessible shovels, rakes, axes, garden hoses, sprinklers, and ladders to assist in suppressing wildfires.

# BURN BARRELS & FIRE PITS

Burn barrels should be placed as far as possible from structures and trees. Keep the area within 3 metres of the burn barrel free of combustible material. Always ensure that your burn barrel has proper ventilation and is screened with 6 millimetre or finer wire mesh


From March 1 to October 31, all burning activities in Alberta's Forest Protection Area (FPA), except campfires, require a fire permit. Please contact your local forest area office for information or visit firepermits.alberta.ca to request a fire permit.

For communities outside the FPA, please contact your local fire department regarding specific fire permit requirements. Fire permits for burn barrels, brush piles and fire pits are required in many jurisdictions.



### **MAINTENANCE**

- half include debris clean-up in spring and fall as part of your yard maintenance.
- Dry leaves, twigs, and branches are flammable and should be removed from your yard and gutters.
- Older leafy trees can have rot and damage that make them susceptible to wildfire. An arborist or forester can help assess the condition of mature trees.
- Remove combustible shrubs from all areas located under the outer outline of tree branches.





### **TREES TO PLANT**

Deciduous (leafy) trees are resistant to wildfire and include:

- Poplar
- Birch
- Aspen
- Cottonwood
- Maple
- Alder
- Ash
- Cherry

### TREES TO AVOID

Coniferous (evergreen) trees (with cones and needles) are highly flammable and should not be situated within 10 metres of your home. These include:

- Spruce
- Fir
- Pine
- Cedar

### **EXTENDED ZONE**

### 10 m to 30 m


The goal in the Extended Zone is not to eliminate fire, but to reduce its intensity. If your property extends into this zone, there are many proactive measures you can take.

### TREE-TO-TREE SPACING

Once fire moves into the treetops, it can easily move into neighbouring trees and increase the overall intensity of the fire. Spacing trees at least 3 metres apart will reduce the risk of this happening.

### **EVERGREEN TREE SPACING**

Because evergreen trees are particularly flammable, it is important to measure the distance between the outermost branches of these trees. There should be a minimum of 3 metres between them.



### TREE PRUNING

A surface fire can climb trees quickly. Removing all branches within 2 metres from the ground will help stop surface fires from moving into the treetops.

Pruning all trees within 30 metres of your home is recommended. If possible, prune all trees within 100 metres of your home.

### WHEN TO PRUNE


You can prune dead branches at any time of year, but it is best to prune evergreen trees in late winter when they are dormant.

### **HOW TO PRUNE**

Prune branches close to the tree trunk, but not so close that you damage the main trunk and bark of the tree.

Never remove more than 1/3 of the canopy of a tree.

Doing so may harm it.



Prune branches within 2 metres from the ground.



### LARGE YARDS

### 30 m+

Taking FireSmart actions beyond 30 metres from your home will influence how a wildfire approaches your home. You can change the dynamics of wildfire behaviour by manipulating vegetation in this space. FireSmart treatments within the Immediate, Intermediate, and Extended Zones can influence the amount of work necessary beyond 30 metres.

Just as in the other zones, slope is a consideration. If your home is on a slope, consider extending this area further, as fire moves fastest uphill. Factor in slope stability when removing trees.

The goal in this area is to reduce the intensity and rate of spread of a wildfire. This is done by thinning and pruning evergreen trees and reducing excess vegetation and branches.

- Remove low-hanging branches within 2 metres from the ground.
- Space trees 3 metres from branch tips to reduce the intensity and rate of spread of fire.
- Remove smaller evergreen trees that can act as a ladder for fire to move into the treetops.
- Clean woody debris and combustible shrubs from the ground.

### **ROADWAYS AND DRIVEWAYS**

In an emergency, you and your family may need to leave your neighbourhood while emergency responders enter. In order for this to happen safely and efficiently, consider the following tips:

- Clearly mark your address.
- Clear vegetation from access routes to and from your home. Target trees and branches that would make it difficult for a fire truck to approach your home.
- If you have a large property, make sure your driveway has a spot to turn around and, when possible, provide two access routes to your home.

# FIRESMART IN YOUR NEIGHBOURHOOD



Many of the recommendations in this guide assume that you have direct control over the property within 30 metres of your home. Even if that is not the case, FireSmart recommendations still apply. Chat with your neighbours about FireSmart. Shared information, along with mutual cooperation and planning can help.



The FireSmart Canada Neighbourhood Recognition Program recognizes neighbourhoods that:

- Complete a neighbourhood hazard assessment and create a FireSmart plan
- Organize a neighbourhood FireSmart committee
- Work with a Local FireSmart Representative to host a FireSmart event, like a clean-up day
- Contribute in-kind or provide monetary support toward FireSmart actions



Concerned about your community's risk to wildfire? Ask your local elected officials, planning department, or fire department about how they are integrating FireSmart into their plans.

### THERE'S MORE!

Learn more about FireSmart Canada's programs and resources online

www.FireSmartCanada.ca

# **NOTES:**

# **NOTES:**











www.FireSmartAlberta.ca